

# INDEX MAPS.

## T. 6 N. R. 10 E. 2<sup>nd</sup> Mer.

	7	7	7	6	6	6
11	6 31	5 31	4 32	3 32	2 18	1 5
	31	30	25	22	21	17
10	7 30	8 25	9 22	10 21	11 17	12 5
	30	29	25	21	17	14
10	18 29	17 24	16 20	15 16	14 13	13 5
	28	28	24	20	16	13
9	19 28	20 24	21 19	22 16	23 13	24 4
	27	27	23	19	15	12
9	30 27	29 23	28 19	27 15	26 12	25 4
	26	26	23	18	15	12
9	31 26	32 22	33 18	34 14	35 11	36 3
	3	3	3	2	2	2

## T. 7 N. R. 10 E. 2<sup>nd</sup> Mer.

	39	40	40	40	40	40
45	6 65	5 60	4 56	3 52	2 50	1 39
	65	64	59	56	52	50
44	7 64	8 59	9 55	10 52	11 50	12 39
	64	63	59	55	51	50
44	18 63	17 58	16 55	15 51	14 49	13 38
	62	62	58	54	49	47
44	19 62	20 57	21 54	22 49	23 47	24 38
	61	61	57	54	48	46
43	30 61	29 57	28 53	27 48	26 46	25 38
	61	60	57	53	48	46
43	31 60	32 56	33 53	34 47	35 46	36 37
	36	35	35	35	35	35

The figures on the lines refer to the page.

1

Township N. 6 North, Range N. 10 East Mer. Indiana  
Ch. P. 11<sup>th</sup>.

South Boundary.

East On Rand<sup>m</sup>. S. boundary Sec. 31

40.00 Set temp<sup>y</sup>. of Sec. post

59.42 a Brook 25<sup>th</sup>. wide Course S. W.

80.00 Set temp<sup>y</sup>. Cor. to Sec<sup>s</sup>. 31 & 32

Land level timber Beech, Oak, Poplar &c.

---

East On Rand<sup>m</sup>. S. boundary of Sec 32

40.00 Set temp<sup>y</sup>. of Sec. post

43.50 a Brook 10<sup>th</sup>. wide Cr. S. W.

45.50 a bend of brook from S. E. 6<sup>th</sup>. wide

64.20 Same brook line run up it, cross it several times

71.50 leave brook from N. E.

80.00 Set temp<sup>y</sup>. Cor. to Sec<sup>s</sup>. 32 & 33

Land level, timber Beech, Oak, Anger,  
Poplar &c.

---

East On Rand<sup>m</sup>. S. boundary of Sec. 33

40.00 Set temp<sup>y</sup>. of Sec. post

61.10 a Brook 8<sup>th</sup>. wide Course S. W.

80.00 Set temp<sup>y</sup>. Cor. to Sec<sup>s</sup>. 33 & 34

Land timber &c. same as on the last mile

---

East On Rand<sup>m</sup>. S. boundary of Sec. 34

32.20 a Brook 5<sup>th</sup>. wide Course S. E.

40.00 Set temp<sup>y</sup>. of Sec. post

79.75 a Brook 20<sup>th</sup>. wide Cr. S.

80.00 Set temp<sup>y</sup>. Cor. to Sec<sup>s</sup>. 34 & 35

Land broken with points of hills, timber  
Beech, Oak, Anger, Poplar &c.

---

East On Rand<sup>m</sup>. S. boundary of Sec. 35

4.20 a Brook 4<sup>th</sup>. wide Course S.

28.60 a Do. 8 " " " S. E.

40.00 Set temp<sup>y</sup>. of Sec. post

49.00 a Creek 40<sup>th</sup>. wide Course S 80° W, comes up

2

St. N. N 10 E. 2<sup>d</sup>. Mer. Indiana

ch. lth

it North, & take this to be a branch of W. river  
 68.90 a Brook 8 lth. wide Course S.  
 75.34 a Do. 6 " " " N.W.  
 80.00 Let temp. Cor. to Sect. 35 of 36  
 Land nearly level, timber Beech, Oak,  
 Sugar, Poplar &c

East On Rand<sup>m</sup>. S. boundary of Sec. 36

40.00 Let temp. gr. Sec. post  
 67.00 a Brook 30 lth. wide Course S.W. branch of S. d. lth.  
 80.60 Let 278 lth. S. of post Cor. to Town 5 of 6 North  
 Range 10 of 11 East Land generally level  
 & rich, timber Beech, Oak, Poplar Oak &c.

True Sine var. 5° 30' E.

West On S. boundary of Sec. 36

40.00 Let gr. Sec. post, from which  
 a Beech 12 in. diam. bran N 6 E 12 lth. dist. of  
 a Sugar 24 " " " S 25 E 20 " "  
 80.00 Let post Cor. to Sect. 35 of 36, from which  
 a Sugar 24 in. diam. bran N 55 W 27 lth. dist. of  
 a Poplar 54 " " " East 23 " "

West On S. boundary of Sec. 35

40.00 Let gr. Sec. post, from which  
 a Poplar 60 in. diam. bran S 1 E 14 lth. dist. of  
 a Do. 42 " " " N 39 W 34 " "  
 80.00 Let post Cor. to Sect. 34 of 35, from which  
 a Beech 24 in. diam. bran N 55 W 27 lth. dist. of  
 a Do. 9 " " " S 74 E 42 " "  
 November 3<sup>rd</sup> 1806

West On S. boundary of Sec. 34

40.00 Let gr. Sec. post, from which  
 a Poplar 56 in. diam. bran N 37 W 18 lth. dist. of  
 a Beech 8 " " " S 39 E 35 " "



Sec. 10 E. 2<sup>d</sup>. Mer. Indiana <sup>3</sup>  
ch. 1<sup>st</sup> 1/2  
80.00 Let post Cor. to Sec. 33 of 34, from which  
a Beech 15 in. dia. brang N 69° 16' 16" E. dist. of  
a Gum 30 " " " S 54° 1' 26" " "

---

West On S. boundary of Sec. 33  
40.00 Let gr. Sec. post, from which  
a Maple 9 in. dia. brang N 54° 1' 20" E. dist. of  
a W. Oak 24 " " " S 26° 11' " "  
80.00 Let post Cor. to Sec. 32 of 33, from which  
a Sugar 12 in. dia. brang N 51° 1' 24" E. dist. of  
a Beech 8 " " " S 81° 6' 9" " "

---

West On S. boundary of Sec. 32  
40.00 Let gr. Sec. post, from which  
a Beech 36 in. dia. brang N 42° 1' 9" E. dist. of  
a Do. 16 " " " S 52° 6' 28" " "  
43.40 a W. Oak 15 " " "  
80.00 Let post Cor. to Sec. 31 of 32, from which  
a Beech 16 in. dia. brang N 12° 1' 21" E. dist. of  
a Do. 8 " " " S 68° 6' 16" " "

---

West On S. boundary of Sec. 31  
40.00 Let gr. Sec. post, from which  
a Beech 16 in. dia. brang N 68° 1' 21" E. dist. of  
a Do. 7 " " " S 27° 6' 8" " "  
80.60 to Township Corner

---

East Boundary. var. 5° 30' E.  
North On E. boundary of Sec. 36  
7.25 a Brook 5 in. wide Corner W.  
17.95 a Do. 5 " " " W.  
26.14 a Creek 30 " " " S 10° 1' 10" E.  
29.90 a Beech 12 in. dia.  
40.00 Let gr. Sec. post, from which  
an Ash 22 in. dia. brang N 28° 6' 12" E. dist. of  
a Gum 22 " " " N 61° 1' 27" " "

4

St. NWE. 2<sup>d</sup>. Mer. Indiana

ch. P. Lk.

47.33 a Beech 24 in. diam.

48.90 a Brook 5 lks. wide Course E.

55.42 a Beech 28 in. diam.

63.50 a Brook 5 lks. wide Course E.

67.50 a do 5 " " " E.

80.00 Set post Cor. to Sec. 25 & 36, from which  
 a Chestnut 36 in. diam. bears N 37° W 10 lks. dist.  
 a Beech 13 " " " S 65° E 36 "  
 Land broken, timber Beech, Oak, Poplar  
 some ash, Chestnut &c.

## North On E. boundary of Sec. 25

7.30 a Brook 4 lks. wide Course S. E.

12.75 a do. 3 " " " S. E.

17.20 a Maple 30 in. diam.

40.00 Set of Sec. post, from which  
 a Beech 14 in. diam. bears N 36° W 32 lks. dist.  
 a do. 14 " " " S 46° E 10 " "

62.60 a Maple 18 " " "

80.00 Set post Cor. to Sec. 24 & 25, from which  
 a Sugar 36 in. diam. bears N 18° W 14 lks. dist.  
 a Beech 14 " " " S 2° W 29 " "  
 Land flat, timber Beech, Oak, Gum,  
 Oak, Poplar &c. November 17<sup>th</sup>. 1806

## North On E. boundary of Sec. 24

4.55 a Brook 40 lks. wide runs S.

23.73 a Beech 24 in. diam.

27.48 a Brook 6 lks. wide Course S. W.

40.00 Set of Sec. post, from which  
 a Poplar 10 in. diam. bears N 74° E 20 lks. dist.  
 a W. Oak 6 " " " S 18° W 33 " "

47.05 a Beech 28 " " "

56.50 a Brook 10 lks. wide Course W.

67.54 a Sweet Gum 36 in. diam.

80.00 Set post Cor. to Sec. 13 &amp; 24, from which

5

St. N. N. E. 2<sup>d</sup>. Mer. Indiana  
 ch. 2<sup>th</sup> a Beech 36 in. dia. - bray N 86 E 5 lbs. dist. of  
 a do. 30 " " " N 73 W 24 " "  
 Sand timber &c. Same as on the last mile

---

North On E. boundary of Sec. 13

6.80 at Brook 15 th. wide Course S. W.  
 24.70 a Beech 13 in. dia.  
 40.00 at gr. Sec. post, from which  
 a Sugar 13 in. dia. - bray N 12 W 15 lbs. dist. of  
 a Beech 8 " " " N 66 1/2 E 27 " "  
 54.71 a P. Gum 15 " "  
 57.14 at Brook 4 th. wide Course W.  
 73.75 a Brook 20 " " " N 10 W. line runs up it -  
 80.00 at post Cor. to Sec. 12 & 13, from <sup>[to the corner]</sup> which  
 a Beech 28 in. dia. - bray S 32 W 55 lbs. dist. of  
 a Hickory 7 " " " N 15 E 30 " "  
 Land level, timber Beech, Oak, Hickory  
 Poplar &c. underg. Same with Spruce, Dog-  
 wood &c. very thick.

---

North On E. boundary of Sec. 12

10.50 Same brook Course up it N. E.  
 17.45 Same do. line runs up it crossing it several times  
 33.58 a Poplar 20 in. dia.  
 40.00 at gr. Sec. post, from which  
 a Beech 22 in. dia. - bray N 52 E 34 lbs. dist. of  
 a do. 20 " " " S 27 W 45 " "  
 54.78 a Poplar 24 " "  
 80.00 at post Cor. to Sec. 11 & 12, from which  
 a P. Gum 15 in. dia. - bray S 5 W 13 1/2 lbs. dist. of  
 a do. 16 " " " N 31 E 25 " "  
 \* at gr. Sec. Cor. a Creek 100 th. E. of line  
 Land flat, timber Beech, Maple, Hickory  
 Oak, Gum &c.

---

North On E. boundary of Sec. 1



# Sect R10E, T. 2<sup>nd</sup> Mer. Indiana

ch. lks

- 14.45 a Maple 28 in. dia.  
 40.00 Set of Sec. post, from which  
 a Maple 18 in. dia. bear S 78° W 10 lks. dist. of  
 a Beech 13 " " " S 62° E 27 " "  
 49.15 a S. Gum 28 " "  
 57.25 a Brook 10 lks. wide Course S. W.  
 66.35 a W. Oak 36 in. dia.  
 80.00 Set post Cor. to Township 6 & 7 North  
 Range 10 & 11 East, from which  
 a S. Gum 18 in. dia. bear S 40° E 13 lks. dist. of  
 a Beech 8 " " " S 23° W 28 " "  
 Sand timber &c. same as on the last mile

- Met North Boundary  
 S 89° W On Rand<sup>m</sup>. S. boundary of Sec. 36, T. 2<sup>nd</sup> N. R 10 E  
 8.15 a Brook 5 lks. wide Course S. W.  
 20.45 a Do. 35 " " " S 80 E  
 40.00 Set temp<sup>y</sup>. of Sec. post  
 42.64 a Brook 4 lks. wide Course S.  
 80.00 Set temp<sup>y</sup>. Cor. to Sec. 35 & 36  
 Sand flat, timber Beech, Oak, Hickory  
 Ash &c.

- S 89° W On Rand<sup>m</sup>. S. boundary of Sec. 35, T. 2<sup>nd</sup> N. R 10 E.  
 40.00 Set temp<sup>y</sup>. of Sec. post  
 50.00 a Brook 3 lks. wide Course N.  
 80.00 Set temp<sup>y</sup>. Cor. to Sec. 34 & 35  
 Sand level, timber Beech, Sugar, Oak,  
 Poplar, Hickory, Ash &c.

- S 89° W On Rand<sup>m</sup>. S. boundary of Sec. 34, T. 2<sup>nd</sup> N. R 10 E  
 13.73 a Creek 100 lks. wide Course S. W.  
 40.00 Set temp<sup>y</sup>. of Sec. post  
 59.45 a Brook 10 lks. wide Course S. E.  
 80.00 Set temp<sup>y</sup>. Cor. to Sec. 33 & 34  
 Sand waving, timber Beech, Sugar, Poplar

7

T. C. N. R. E. J. Mer. Indiana

ch. l. l. h. Oak, Hickory &c. Nov. 18<sup>th</sup>. 1886

---

S 89 1/2 W On Rand<sup>m</sup>. S. boundary of Sec. 33, T 7 N. R 10 E  
23.00 a Brook 8 l. m. wide Course S.  
40.00 Let temp<sup>y</sup>. q<sup>r</sup>. Sec. post  
68.55 at Brook 5 l. m. wide Course S. W.  
80.00 Let temp<sup>y</sup>. Cor. to Sec. 32 & 33  
Land flat, timber Beech, Oak, Poplar, Hickory &c.

---

S 89 1/2 W On Rand<sup>m</sup>. S. boundary of Sec. 32, T 7 N. R 10 E.  
40.00 Let temp<sup>y</sup>. q<sup>r</sup>. Sec. post  
80.00 Let temp<sup>y</sup>. Cor. to Sec. 31 & 32  
Land timber &c. same as on the last mile

---

S 89 1/2 W On Rand<sup>m</sup>. S. boundary of Sec 31, T 7 N. R 10 E.  
40.00 Let temp<sup>y</sup>. q<sup>r</sup>. Sec. post  
74.00 a Brook 15 l. m. wide Course S. E.  
84.75 Full 10 chains N. of post. Suspecting a  
mistake in the measure, chained the two  
last lines over, and found the measure correct  
November 19<sup>th</sup>. 1886

---

True Line. var. 5° 30' E.

East On S. boundary of Sec. 31, T 7 N. R 10 E  
44.75 Let q<sup>r</sup>. Sec. post, from which  
a Beech 12 in. dia. bray N 15 1/2 W 30 l. m. dist. of  
a do. 14 " " " S 25 E 4 " "  
84.75 Let post Cor. to Sec. 31 & 32, T 7 N. R 10 E from  
which a Beech 6 in. dia. bray S 7 1/2 W 13 l. m. dist. of  
a do. 12 " " " N 22 1/2 W 7 " "

---

East On S. boundary of Sec. 32, T 7 N. R 10 E.  
5.20 a Poplar 20 in. dia.  
40.00 Let q<sup>r</sup>. Sec. post, from which  
a Beech 8 in. dia. bray N 55 1/2 W 17 l. m. dist. of  
a do. 20 " " " S 2 E 20 " "



# Post R10 E. 2<sup>d</sup> Mer. Ind.

Ch<sup>2</sup> 1/2

80.00 Let post Cor. to Sec. 32 & 33, T<sup>1</sup> N. R10 E, from which  
at Beech 24 in. dia. bear N5E 22 lks. dist. of  
a do. 12 " " " S72E 7 " "

East On S. boundary of Sec. 33, T<sup>1</sup> N. R10 E.

40.00 Let of Sec. post, from which  
a Sugar 9 in. dia. bear N31E 11 lks. dist. of  
at Beech 6 " " " S24W 30 " "

80.00 Let post Cor. to Sec. 33 & 34, T<sup>1</sup> N. R10 E, from which  
a Lym 7 in. dia. bear N38E 30 lks. dist. of  
at Beech 16 " " " S4W 41 " "

East On S. boundary of Sec. 34, T<sup>1</sup> N. R10 E.

40.00 Let of Sec. post, from which  
a Maple 16 in. dia. bear N21W 14 lks. dist. of  
an Elm 9 " " " S49E 11 " "

80.00 Let post Cor. to Sec. 34 & 35, T<sup>1</sup> N. R10 E, from which  
a Sugar 10 in. dia. bear N15W 14 lks. dist. of  
at Beech 7 " " " S50E 10 " "

East On S. boundary of Sec. 35, T<sup>1</sup> N. R10 E.

40.00 Let of Sec. post, which is  
a Poplar 9 in. dia. from which  
a Beech 7 in. dia. bear S48W 26 lks. dist. of

80.00 Let post Cor. to Sec. 35 & 36, T<sup>1</sup> N. R10 E, from which  
an Elm 13 in. dia. bear N44W 23 lks. dist. of  
a Beech 5 " " " S21E 13 " "

East On S. boundary of Sec. 36, T<sup>1</sup> N. R10 E.

40.00 Let of Sec. post, from which  
a Beech 11 in. dia. bear S11W 24 lks. dist. of  
a do. 6 " " " N2E 3 " "

65.00 at Beech 24 " "

80.00 To Township Corner.

November 30<sup>th</sup> 1806

Section R10 E. 2<sup>d</sup> Mer. Indiana<sup>9</sup>  
ch. 1<sup>st</sup> 1<sup>st</sup>

Nest Boundary.

November 14<sup>th</sup> 1886. var. 5° 30' E  
North On E. boundary of Sec. 36, T6N, R9E.  
17.40 a Brook 8<sup>th</sup> wide Cr. S.W.  
19.85 a Poplar 38 m. dia.  
23.15 a Brook 10<sup>th</sup> wide Cr. S.W.  
40.00 Set of Sec. post, from which  
a W. Oak 18 m. dia. bear N 86 E 30<sup>th</sup> dist. of  
a dog. 16 " " " S 59 W 14 " "  
50.58 a S. Gum 24 " "  
56.25 a W. Oak 30 " "  
69.00 a Brook 10<sup>th</sup> wide Cr. W  
80.00 Set post Cor. to Sec. 25 & 36, T6N, R9E, from which  
a B. Oak 24 m. dia. bear N 22 E 8<sup>th</sup> dist. of  
a Beech 20 " " " S 41 W 25 " "  
Land flat, timber Beech, Oak, Maple, Gum  
Poplar &c.

North On E. boundary of Sec. 25, T6N, R9E.

00.92 a Beech 20 m. dia.  
16.20 a Brook 15<sup>th</sup> wide Course S.W.  
32.54 a Beech 28 m. dia.  
40.00 Set of Sec. post, from which  
a Dogwood 8 m. dia. bear N 73 W 12<sup>th</sup> dist. of  
a Beech 30 " " " S 18 E 28 " "  
56.22 a Creek 60<sup>th</sup> wide Course S.W.  
80.00 Set post Cor. to Sec. 24, 25, T6N, R9E, from which  
a Beech 17 m. dia. bear S 12 E 5<sup>th</sup> dist. of  
a dog. 16 " " " N 59 W 34 " "  
Land waving, timber Beech, Sugar, Poplar, Ash &c.

North On E. boundary of Sec. 24, T6N, R9E.

16.12 a W. Oak 28 m. dia.  
28.40 a Poplar 42 " "  
37.75 a Brook 3<sup>th</sup> wide Course E.  
40.00 Set of Sec. post, from which

T6 N. R10 E. 2<sup>nd</sup>. Mer. Indiana  
Ch. lly

a Beech 12 mi. dist. by N17W17 lly. dist. of  
a do. 9 " " " N16W21 " "  
56.38 a Beech 20 " " "  
80.00 Let post, Cor. to Sec. 13 & 24, T6 N. R9 E, from which  
a Beech 8 mi. dist. by N68E13 lly. dist. of  
a Poplar 36 " " " S59W31 " "  
Land level, timber Beech, Oak, Hick. Poplar &c.

---

North On E. boundary of Sec. 13, T6 N. R9 E.

00.75 a Beech 24 mi. dist.  
13.30 a do. 24 " "  
19.50 a Brook 12 lly. wide Course N.W.  
40.00 Let of Sec. post, from which  
a Beech 7 mi. dist. by N67E19 lly. dist. of  
a Poplar 18 " " " S35W16 " "  
45.25 a Brook 10 lly. wide C.W.  
60.54 a Beech 24 mi. dist.  
70.10 a Brook 4 lly. wide Course W.  
80.00 Let post Cor. to Sec. 12 & 13, T6 N. R9 E, from which  
a Beech 20 mi. dist. by N31E25 lly. dist. of  
a do. 10 " " " S8E13 " "  
Land waving, timber, Beech, Sugar, Oak, Hick. &c.

---

North On E. boundary of Sec. 12, T6 N. R9 E

3.90 a Brook 8 lly. wide runs W.  
29.80 a Creek 60 lly. " " W.  
40.00 Let of Sec. post, from which  
a Sugar 16 mi. dist. by N29E3 lly. dist. of  
a do. 12 " " " N64W14 " "  
67.67 a N. Oak 54 " "  
80.00 Let post Cor. to Sec. 11 & 12, T6 N. R9 E, from which  
a S. Gum 30 mi. dist. by S37W16 lly. dist. of  
a Beech 11 " " " N1E12 " "  
Land level, timber Beech, Oak, Hickory,  
Gum, Poplar &c.

---



11

Sect. R10E, 2<sup>nd</sup> Mer. Indiana  
 ch. 4<sup>th</sup>  
 North On Co. boundary of Sec. 1, R9E.  
 9.75 a Brook 6<sup>th</sup> wide Course S.W.  
 13.47 a Beech 28 in. dia.  
 37.20 a Brook 8<sup>th</sup> wide Course S.W.  
 40.00 At gr. Sec. post, from which  
     a Beech 11 in. dia. bray N42E 13<sup>th</sup> dist. of  
     a do. 10 " " " S52W 10 " "  
 47.50 a Poplar 48 "  
 60.10 a Brook 8<sup>th</sup> wide Course W.  
 65.30 a Brook 10 " " S.W.  
 80.00 At post Cor. to Township 6 & 7 North Range  
     9 & 10 East, from which  
     a Beech 10 in. dia. bray N8<sup>1</sup>/<sub>2</sub>E 21<sup>th</sup> dist. of  
     a do. 14 " " " S13E 22 " "  
 Land waving, timber Beech, Angar, Oak, Hick.  
 Poplar &c.

November 16<sup>th</sup> 1886

Surveyed By

John Brownson,

Deputy Surveyor

Subdivision.

North Between Sect. 35 & 36  
 11.90 a Beech 20 in. dia.  
 22.00 a Brook 8<sup>th</sup> wide Course W.  
 40.00 At gr. Sec. post, from which  
     a Beech 24 in. dia. bray N10W 13<sup>th</sup> dist. of  
     a do. 18 " " " S71E 21 " "  
 44.00 a Brook 10<sup>th</sup> wide Course S.W.  
 50.13 a Beech 20 in. dia.  
 79.50 a Brook 40<sup>th</sup> wide Course S.W.  
 80.00 At post Cor. to Sect. 25, 26, 35 & 36, from which  
     an Elm 12 in. dia. bray N85W 27<sup>th</sup> dist. of  
     a Lycamore 18 " " " N33E 26 " "  
 High thin land, Beech & Angar, and gr. Spice  
 Ironwood &c.

12

# Sec. RWE. 2.<sup>nd</sup> Mer. Indiana

ch. 2. 1/2

East On Rand<sup>m</sup>. between Sec. 25 & 36

40.00 Set temp<sup>y</sup>. of Sec. post

78.50 at Brook 6 1/2 hrs. wide Course S. E.

79.75 intersected the E. boundary 54 hrs. S. of post  
Over level rich land, Beech, Sugar, Poplar  
W & B. Oak &c. underg<sup>d</sup>. Spruce &c.

---

West Corrected between Sec. 25 & 36

39.87 1/2 Set of Sec. post at average dist. from which  
at Beech 24 mi. dist. by S 68 E 22 hrs. dist. of  
a Do. — " " " N 85 1/2 W 13 " "

59.86 a Poplar 65 " "

79.75 to Sec. Corner

---

North Between Sec. 25 & 26

11.14 a Beech 20 mi. dist.

40.00 Set of Sec. post, from which

at Beech 18 mi. dist. by N 15 E 10 hrs. dist. of  
a Sugar 16 " " " S 62 1/2 W 30 " "

55.20 a Beech 16 " "

81.00 a Set post Cor. to Sec. 23, 24, 25 & 26, from which  
at Beech 20 mi. dist. by S 84 W 43 hrs. dist. of  
at Elk, Gum 15 " " " N 84 E 22 " "

First 1/2 mile hilly, Beech, W & B. Oak &c.  
last 1/2 high rich land Beech, B & S. Gum &c  
underg<sup>d</sup>. Beech, Spruce &c.

---

East On Rand<sup>m</sup>. between Sec. 24 & 25

36.50 a Creek 56 hrs. wide Course S.

40.00 Set temp<sup>y</sup>. of Sec. post

70.00 a Brook 3 hrs. wide Course S. W.

79.54 intersected E. boundary 19 hrs. N. of post

Over high rich land, Beech, Poplar &c. underg<sup>d</sup>. Spruce

---

West Corrected between Sec. 24 & 25

39.50 a Beech 18 mi. dist.

13

Set PCE. 2<sup>nd</sup> Mer. Indiana  
 ch. 1<sup>st</sup> 1/2  
 39.77 Set of Sec. post at average dist. from which  
 a Beech 17 mi. dist. by N 34 E 19 lks. dist. of  
 a Do. 16 " " " N 45 W 4 " "  
 79.54 to Sec. Corner.

---

North Between Sec. 23 & 24  
 24.50 a D. Gum 24 mi. dist.  
 40.00 Set of Sec. post, from which  
 a Beech 11 mi. dist. by N 76 E 9 lks. dist. of  
 a Do. 18 " " " S 57 E 20 " "  
 67.74 a D. Gum 20 " "  
 80.00 Set post Cor. to Sec. 13, 14, 23 & 24, from which  
 a Beech 20 mi. dist. by N 2 W 29 lks. dist. of  
 a Maple 25 " " " N 4 E 39 " "  
 First 1/2 mile Swamp, timber Beech &c.  
 last 1/2 level thin soil Beech, W. Oak &c.  
 underg<sup>g</sup> Ironwood &c.

---

East On Rand<sup>m</sup>. between Sec. 13 & 24  
 18.00 a Brook 12 lks. wide Course S.  
 40.00 Set temp. gr. Sec. post  
 64.50 a Creek 40 lks. wide Course S. W  
 79.24 Intersected E. boundary 27 lks. N. of post  
 The 1<sup>st</sup> 1/2 mile a Beech & Maple Swamp  
 last 1/2 mile level rich land timber Beech,  
 Poplar, Ash, Gum &c.

---

West Corrected between Sec. 13 & 24.  
 39.62 Set of Sec. post at average dist. from which  
 a Beech 20 mi. dist. by N 55 W 4 lks. dist. of  
 a Do. 11 " " " N 40 3/4 E 37 " "  
 41.92 a Maple 20 " "  
 79.24 to Sec. Corner November 24<sup>th</sup> 1806

---

North Between Sec. 13 & 14  
 12.60 a Beech 17 mi. dist.



Sb N R 10 E. 2<sup>nd</sup> Mer. Indianach. 2<sup>nd</sup> 1/2

26.62 a / S. Gum 19 m. dist.

40.00 Set gr. Sec. post, from which  
a Beech 20 m. dist. bearing N 63° E 20 ch. dist. of  
a Do. 8 " " " N 48° W 27 " "80.00 a / Beech 8 m. dist. Cor. to Sec. 11, 12, 13, 14 from  
which a Maple 20 m. dist. bearing S 72° W 4 ch. dist. of

a Beech 18 " " " N 72° E 37 " "

Over level rich land, Beech, Ash, Gum,  
W & N. Oak &c. underg<sup>th</sup>. Beech &c.East Out Land<sup>g<sup>m</sup></sup>. between Sec. 12 & 13

35.00 a / Brook 20 ch. wide Course S. E.

40.00 Set temp<sup>y</sup>. gr. Sec. post79.18 Intersected at the post on E. boundary  
Over level land, Beech, Poplar &c. underg<sup>th</sup>.  
Spruce & Beech

West Corner between Sec. 12 &amp; 13

0.50 a / Brook 17 ch. wide Course S. E.

39.59 Set gr. Sec. post at average dist. from which  
a Beech 10 m. dist. bearing S 3° E 3 ch. dist. of  
a Do. 20 " " " N 44° W 18 " "

58.81 a / Beech 24 " "

74.37 a / Do. 17 " "

79.18 to Section Corner Nov. 25<sup>th</sup> 1806

North Between Sec. 34 &amp; 35

14.90 a / Sugar 12 m. dist.

40.00 Set gr. Sec. post, from which  
a Beech 27 m. dist. bearing N 9° W 28 ch. dist. of  
a Do. 25 " " " S 9° E 25 " "

53.70 a / Beech 30 " "

80.00 Set post Cor. to Sec. 26, 27, 34 & 35, from which  
a Beech 18 m. dist. bearing S 41° W 8 ch. dist. of  
a Do. 18 " " " S 74° E 35 " "

Over level rich land, Beech, Maple, Ash

15

St. R. W. E. D. Mer. Indiana  
ch<sup>th</sup> Blk Sweet Gum undng<sup>th</sup> Spruce &c.

---

East On Rand<sup>m</sup> between Sec. 26 & 35  
40.00 Set temp<sup>y</sup>. gr. Sec. post  
62.80 a Brook 15 lks. wide Course S.  
81.37 Intersected the N & S. line 37 lks. S. of post  
Over level rich land, Beech, Oak, Gum, W. of  
B. Oak, undng<sup>th</sup> Spruce &c

---

West Corrected between Sec. 26 & 35  
21.66 a Sugar 20 mi. dist.  
40.68 Set gr. Sec. post at average dist. from which  
a Beech 11 mi. dist. by N 29 W 25 lks. dist. of  
a No. 16 " " " N 89 W 20 " "  
81.37 to Sec. Corner.

---

North Between Sec. 26 & 27  
34.50 a B. Gum 20 mi. dist.  
40.00 Set gr. Sec. post, from which  
a Beech 8 mi. dist. by N 55 W 10 lks. dist. of  
a No. 10 " " " N 64 E 7 " "  
62.02 a Beech 25 " " " " " "  
80.00 Set post, Cor. to Sec. 22, 23, 26 & 27, from which  
a Maple 20 mi. dist. by N 44 W 20 lks. dist. of  
a Beech 25 " " " N 17 E 35 " "  
This mile over a Swamp, Beech, Maple,  
Sugar &c.

---

East On Rand<sup>m</sup> between Sec. 23 & 26  
37.05 a Brook 12 lks. wide Course S.E.  
40.00 Set temp<sup>y</sup>. gr. Sec. post  
61.70 a Brook 8 lks. wide Course S.W.  
81.25 Intersected the N & S. line 25 lks. S. of post  
Over level rich land, Beech, Oak, Gum,  
Poplar &c. undng<sup>th</sup> Spruce.

---

# East - R10E. 2<sup>nd</sup> Mer. Indiana

ch. l<sup>y</sup>

West Connected between Sec. 23 & 26

- 1.38 a Beech 25 mi. dist.  
 40.60 Set of Sec. post, at average dist. from which  
 a Beech 12 mi. dist. bearing S 35 E 17 l<sup>y</sup>. dist. of  
 a Do. 15 " " " N 80 W 12 " "  
 81.25 to Sec. Corner

North Between Sec. 22 & 23

- 36.85 a W. Oak 28 mi. dist.  
 40.00 Set of Sec. post, from which  
 a W. Oak 20 mi. dist. bearing S 75 E 50 l<sup>y</sup>. dist. of  
 a W. Gum 20 " " " N 74 W 17 " "  
 62.29 a W. Gum 20 " "  
 80.00 Set post Cor. to Sec. 14, 15, 22 & 23, from which  
 a Hickory 20 mi. diam. bearing N 80 E 7 l<sup>y</sup>. dist. of  
 a Do. 17 " " " S 73 W 35 " "  
 Over level thin land, timber W. Oak, Beech  
 Hickory, Gum &c

East On Rand. between Sec. 23 & 14

- 40.00 Set temp. of Sec. post  
 81.20 Intersected the S. line 5 l<sup>y</sup>. S. of post  
 Land timber &c. Same as on the last mile

West Connected between Sec. 14 & 23

- 40.60 Set of Sec. post at average dist. from which  
 a Beech 22 mi. dist. bearing N 42 W 32 l<sup>y</sup>. dist. of  
 a Do. 12 " " " S 9 W 17 " "  
 41.25 a Beech 30 " "  
 81.20 to Sec. Corner

North Between Sec. 14 & 15

- 14.63 a Hickory 18 mi. dist.  
 27.70 a Do. 10 l<sup>y</sup>. wide course W.  
 40.00 Set of Sec. post, from which  
 a Beech 12 mi. dist. bearing S 76 E 12 l<sup>y</sup>. dist. of



# 17

## St. R. W. E. D. Mr. Indiana

ch. 2. 1/4

a S. Gum 28 in. dia. bray N 76 W. 20 lks. dist. of  
 81.00 Set post Cor. to Sect. 10, 11, 14 & 15, from which  
 a S. Gum 28 in. dia. bray S 60 E 31 lks. dist. of  
 a W. Oak 17 " " " N 51 W 4 " "  
 Over level thin land, timber Beech, W. Oak  
 Hickory, S. Gum &c.

---

East On Rand. between Sect. 11 & 14

40.00 Set temp. of Sec. post.

81.33 Intersected the S. line 13 lks. S. of post  
 Land timber &c. same as on the last mile

---

West Connected between Sect. 11 & 14

0.45 a Sweet Gum 25 in. dia.

40.66 1/2 Set of Sec. post at average dist. from which  
 a S. Gum 18 in. dia. bray S 39 E 12 lks. dist. of  
 a S. Gum 28 " " " S 44 W 37 " "

81.33 to Sec. Corner. Nov. 26. 1806

---

North Between Sect. 11 & 12

22.00 a Beech 20 in. dia.

40.00 Set of Sec. post, from which  
 a Beech 15 in. dia. bray S 61 E 13 lks. dist. of  
 a S. Gum 11 " " " N 50 W 26 " "

79.00 a S. Gum 25 " "

80.00 Set post Cor. to Sect. 1, 2, 11 & 12, from which  
 a Beech 12 in. dia. bray N 45 E 16 lks. dist. of  
 a S. Gum 18 " " " S 62 W 32 " "

Over level land, timber Beech, Oak, Gum  
 W. Oak, sanding & Spruce

---

East On Rand. between Sect. 1 & 12

40.00 Set temp. of Sec. post

79.20 Intersected the E. boundary 54 lks. S. of post  
 Over level thin land, timber Beech, Gum,  
 Maple &c. sanding & Beech & Maple

---

18

Sec. N. R. W. E. T. Mer. Indiana.

ch. l. l. k.

West Corried between Sec. 1 & 12

39.20 a Gum 20 mi. dist.

39.60 at q. Sec. post at average dist. from which  
a Beech 18 mi. dist. by N 10 E 6 l. k. dist. of  
a Do. 12 " " " N 23 1/2 W 6 " "

79.20 to Sec. Corner.

North Between Sec. 1 & 2

0.67 a Beech 19 mi. dist.

40.00 at q. Sec. post, from which  
a Beech 7 mi. dist. by S 60 W 16 l. k. dist. of  
a Poplar 60 " " " S 86 E 22 " "

43.05 a Beech 28 " "

54.50 a Creek 50 l. k. wide Comae N.

84.69 Intersected N. boundary 79 l. k. E. of post  
at post Cor. to Sec. 1 & 2, from which  
a Beech 11 mi. dist. by N 67 W 21 l. k. dist. of  
a Do. 30 " " " S 81 E 18 " "  
Land timber &c. Same as on last mile  
November 27<sup>th</sup> 1806

North Between Sec. 33 & 34

8.62 a Beech 23 mi. dist.

40.00 at q. Sec. post, from which  
a Beech 8 mi. dist. by N 74 W 10 l. k. dist. of  
a S. Gum 28 " " " N 61 1/2 E 20 " "

40.20 a N. Oak 30 " "

80.00 at post Cor. to Sec. 27, 28, 33 & 34, from which  
a Beech 18 mi. dist. by S 79 E 30 l. k. dist. of  
a N. Oak 20 " " " N 54 W 24 " "  
Over level land, timber Beech & N. Oak &c.

East On Rand<sup>m</sup> between Sec. 27 & 34

40.00 at temp. q. Sec. post

43.40 a Brook 30 l. k. wide Comae S. E.

80.28 Intersected the N. & S. line at the post

19

West N.W.E. 2<sup>d</sup> Mer. Indiana  
ch<sup>l</sup>ky Land timber &c. Same as on the last mile

---

West Connected between Sec. 27 & 34  
1.20 a Beech 20 mi. dist.  
40.14 at gr. Sec. post, at average dist. from which  
a Beech 20 mi. dist. bear S 84° 14' 44" W, dist. of  
a do. 10 " " " N 66° E 11 " "  
80.28 to Sec. Corner November 28<sup>th</sup> 1806

---

North Between Sec. 27 & 28  
40.00 at gr. Sec. post, from which  
a Beech 20 mi. dist. bear N 61° 19' 25" W, dist. of  
a do. 20 " " " S 25° W 17 " "  
42.26 a Beech 20 " "  
55.12 a do. 25 " "  
80.00 at post Cor. to Sec. 21, 22, 27 & 28, from which  
a Q. Gum 18 mi. dist. bear N 87° 11' 20" W, dist. of  
a Maple 8 " " " N 78° E 30 " "  
Over level land, timber, Beech & W. Oak  
Soil thin

---

East On Rand<sup>m</sup>. between Sec. 27 & 27  
40.00 at temp. gr. Sec. post  
80.31 intersected the N & S line at the post  
Land timber &c. Same as on the last mile

---

West Connected between Sec. 27 & 27  
0.25 a Sassafras 20 mi. dist.  
40.15 at gr. Sec. post at average dist. from which  
a Beech 18 mi. dist. bear N 64° E 20" W, dist. of  
a do. 20 " " " South 4 " "  
44.30 a Beech 16 " "  
80.31 to Sec. Corner.

---

North Between Sec. 21 & 22  
10.00 a Maple 20 mi. dist.



East - R & E, 2<sup>d</sup> Mer. IndianaCh. 1<sup>st</sup> 1<sup>st</sup>

- 35.50 a W. Oak 20 mi. dist.  
 40.00 at gr. Sec. post, from which  
 a W. Oak 20 mi. dist. by N 64 E 28 lks. dist. of  
 a Poplar 16 " " " S 82 W 22 " "  
 75.50 at Brook 10 lks. wide Cr. S. W.  
 80.00 at post Cor. to Sec. 15, 16, 21 & 22, from which  
 a Beech 11 mi. dist. by N 88 E 16 lks. dist. of  
 a Gum 24 " " " S 51 W 21 " "  
 Land timber &c. Same as on last mile  
 November 29<sup>th</sup> 1806

East On Rand<sup>m</sup> between Sec. 15 & 22

- 14.50 a Brook 10 lks. wide Comae S. W.  
 40.00 at temp<sup>y</sup>. gr. Sec. post  
 80.71 Intersected the N & S. line 30 lks. S. of post  
 Land timber &c. Same as on last mile

## West Corrected between Sec. 15 &amp; 22

- 40.35 at gr. Sec. post at average dist. from which  
 a Beech 17 mi. dist. by N 84 W 17 lks. dist. of  
 a Do. 15 " " " S 70 E 13 " "  
 44.54 a Sugar 18 " "  
 80.71 to Sec. Corner

## North Between Sec. 15 &amp; 16

- 2.12 a Beech 10 mi. dist.  
 26.00 a Do. 30 " "  
 40.00 at gr. Sec. post, from which  
 a Beech 25 mi. dist. by N 76 E 31 lks. dist. of  
 a Do. 20 " " " S 33 W 41 " "  
 62.30 a Brook 6 lks. wide Comae W.  
 80.00 at post Cor. to Sec. 9, 10, 15 & 16, from which  
 a Beech 18 mi. dist. by N 66 E 35 lks. dist. of  
 a Do. 20 " " " N 66 W 33 " "  
 Over high land, Beech, 12 & 14 M. Oak &c. Soil thin

# 21

## S. 6. N. 10 E. 2<sup>nd</sup> Mer. Indiana

ch<sup>th</sup> 1/2

East On Rand<sup>m</sup>. between Secs. 10 & 15

40.00 At temp<sup>y</sup>. q<sup>r</sup>. Sec. post

80.71 intersected the N & S. line 33 lks. S. of post  
Land timber &c. same as on last mile

---

West Corrected between Secs. 10 & 15

40.35 At q<sup>r</sup>. Sec. post at average dist. from which  
a Beech 10 m. dist. by N 7 E 31 lks. dist. of  
a do. 16 " " " N 11 E 34 " "

41.90 at Beech 25 " "

80.71 to Sec. Corner

---

North Between Secs. 10 & 11

15.50 a Beech 25 m. dist.

40.00 At q<sup>r</sup>. Sec. post, from which

a Beech 8 m. dist. by N 77 W 16 lks. dist. of  
a do. 20 " " " S 34 E 5 " "

41.00 a Beech 25 " "

47.00 a Brook 10 lks. wide Course W.

80.00 At post Cor. to Secs. 2, 3, 10 & 11, from which  
a Beech 15 m. dist. by N 13 E 21 lks. dist. of  
a do. 25 " " " S 5 E 11 " "  
Land timber &c. same as on last mile

---

East On Rand<sup>m</sup>. between Secs. 2 & 11

40.00 At temp<sup>y</sup>. q<sup>r</sup>. Sec. post

81.57 intersected the N & S. line at the post  
Land timber &c. same as on last mile

---

West Corrected between Secs. 2 & 11

39.13 a Sugar 20 m. dist.

40.78 At q<sup>r</sup>. Sec. post at average dist. from which

a Beech 20 m. dist. by N 5 E 23 lks. dist. of  
a do. 8 " " " S 25 W 30 " "

81.57 to Sec. Corner

---

22 West N.W. E. 2<sup>nd</sup> Mer. Indiana

ch<sup>2</sup> l<sup>th</sup>

North Between Secs. 9 & 10

9.50 a Creek 50 l<sup>th</sup>. wide C.S.W. Rapid

17.00 Same 50 " " " S.E.

31.00 Same 50 " " " S.W

40.00 Set of Sec. post, from which

a Beech 12 m. dist. bearing N 75 E 21 l<sup>th</sup>. dist.

a do. 6 " " " 160 W 10 " "

42.33 a Beech 25 " "

78.65 a do 36 " "

80.00 Set post Cor. to Secs. 3, 4, 9 & 10, from which

a Beech 15 m. dist. bearing N 44 W 57 l<sup>th</sup>. dist

a P — 40 " " " S 44 E 39 " "

First 1/2 mile rich bottom Walnut, Beech &c

last 1/2 high Beech land, Beech, B & W,

Oak &c. under <sup>to</sup> Spruce

East On Rand<sup>m</sup>. between Secs. 3 & 10

39.65 a Brook 30 l<sup>th</sup>. wide Course S.

40.00 Set temp<sup>y</sup>. of Sec. post

49.00 a Brook 36 l<sup>th</sup>. wide C.S.W.

81.07 Intersected N & S line 20 l<sup>th</sup>. S. of post

Over high rich land, Beech, Poplar, Ash

Gum, Cherry, B & W, Walnut, B & W, Oak &c.

under <sup>to</sup> Spruce

West Corrected between Secs. 3 & 10

\*40.53 Set of Sec. post at average dist from which

an Ironwood 8 m. dist. bearing N 64 W 15 l<sup>th</sup>. dist of

a Red Elm 10 " " " S 45 E 25 " "

\*21.90 a Bassafras 18 " "

81.07 to Sec. Corner November 30<sup>th</sup> 1806

North Between Secs. 32 & 33

39.90 a Beech 18 m. dist.

40.00 Set of Sec. post, from which

a Beech 18 m. dist. bearing S 79 E 47 l<sup>th</sup>. dist. of

St. RWE. 2<sup>nd</sup> Mer. Indiana 23  
Ch. 1<sup>st</sup>

a Beech 20 mi. dist. from N 60° W 21 km. dist. of  
80.00 Set post Cor. to Sec. 28, 29, 32 & 33, from which  
a Beech 15 mi. dist. from N 67° W 34 km. dist. of  
a Do. 19 " " " N 67° E 20 " "  
Level poor land Beech, W. Oak &c.

---

East On Rand<sup>m</sup>. between Sec. 28 & 33  
40.00 Set temp<sup>y</sup>. of Sec. post  
80.13 Intersected the N & S. line Nth. S. of post  
Over level land soil thin, Beech, W. Oak &c.

---

West Connected between Sec. 28 & 33  
40.06 Set of Sec. post at average dist. from which  
a Beech 18 mi. dist. from N 21° W 20 km. dist. of  
a White — 20 " " " N 46° E 20 " "  
43.58 an Elm 16 " "  
80.13 to Sec. Corner.

---

North Between Sec. 28 & 29  
10.62 a Beech 25 mi. dist.  
33.32 a P. Gum 17 " "  
40.00 Set of Sec. post, from which  
a W. Oak 20 mi. dist. from N 15° W 20 km. dist. of  
a Beech 18 " " " N 23° E 24 " "  
80.00 Set post Cor. to Sec. 20, 21, 28 & 29 from which  
a W. Oak 30 mi. dist. from N 75° E 50 km. dist. of  
a P. Gum 20 " " " N 75° W 21 " "  
Thin (mud) swamp Beech, W. Oak &c. soil thin

---

East On Rand<sup>m</sup>. between Sec. 21 & 28  
40.00 Set temp<sup>y</sup>. of Sec. post  
80.28 Intersected the N & S. line at the post  
First 1/2 mile swamp last 1/2 fallen timber

---

West Connected between Sec. 21 & 28  
39.31 a P. Gum 45 mi. dist.



24

Lot R 10 E, 2<sup>nd</sup> Mer. Indiana

ch. lth

40.14 Set of Sec. post at average dist. from which  
a Beech 18 in. dia. tray N 17<sup>th</sup> 34 lth. dist. of  
a do. 18 " " " N 23 E 37 " "  
80.28 to Sec. Corner.

North Between Sec. 20 & 21

14.65 a Red Elm 20 in. dia.

40.00 Set of Sec. post, from which  
a Beech 18 in. dia. tray N 58 E 18 lth. dist. of  
a do. 17 " " " S 59 W 36 " "

63.19 a S. Gum 25 " "

80.00 Set post Cor. to Sec. 16, 17, 20 & 21, from which  
a Poplar 30 in. dia. tray N 21<sup>st</sup> 34 lth. dist. of  
a Beech 15 " " " S 27 E 35 " "  
Over rich land, high, Beech, W. R. Oak &c.  
underg<sup>th</sup> Spruce &c.

East On Land<sup>m</sup> between Sec. 16 & 21

40.00 Set temp. of Sec. post

63.00 a Brook 10 lth. wide Comae N. N.

80.32 Intersected the N & S line 29 lth. S. of post  
Land timber &c. same as on last mile

West Connected between Sec. 16 & 21

20.00 a Beech 18 in. dia.

40.16 Set of Sec. post at average dist. from which  
a Beech 18 in. dia. tray N 62<sup>nd</sup> 34 lth. dist. of  
a Cherry 18 " " " S 6 E 23 " "

80.32 to Sec. Corner.

North Between Sec. 16 & 17

15.00 a Brook 10 lth. wide Comae S 10<sup>th</sup> W

16.08 an Elm 12 in. dia.

39.62 a Passafay 12 in. dia.

40.00 Set of Sec. post, from which  
a Beech 17 in. dia. tray N 32 E 4 lth. dist. of

# West - NW E. 2<sup>nd</sup> Mer. Indiana 25 ch. lks

W. Sassafras 15 in. dia. bray S 57° 17' 17 lks. dist.  
80.00 Set post Cor. to Sec. 8, 9, 16 & 17, from which  
a Beech 25 in. dia. bray N 89° 17' 29 lks. dist. of  
a Dog 30 " " " N 89° E 23 " "  
Land timber &c. Same as on last mile

## East On Rand. between Sec. 9 & 10

40.00 Set temp. q. Sec. post  
79.00 a Creek 50 lks. wide Course S. 25° W  
80.40 Intersected the N & S. line 9 lks. S. of post  
Land timber &c. Same as on the last mile

## West Connected between Sec. 9 & 10

39.00 a Beech 20 in. dia.  
40.20 Set q. Sec. post at average dist. from which  
a Cherry 20 in. dia. bray South 2 lks. dist. of  
a Beech 14 " " " N 82° W 15 " "  
80.40 to Sec. Corner.

## North Between Sec. 8 & 9

3.32 a Hickory 17 in. dia.  
40.00 Set q. Sec. post, from which  
a Beech 20 in. dia. bray S 82° E 26 lks. dist. of  
a Hickory 20 " " " N 80° W 23 " "  
46.20 a Beech 19 " "  
72.77 a Sugar 50 " "  
80.00 Set post Cor. to Sec. 4, 5, 8 & 9, from which  
a Beech 16 in. dia. bray N 73° W 32 lks. dist. of  
a Sugar 25 " " " S 54° E 19 " "  
Land timber &c. Same as on the last mile

## East On Rand. between Sec. 4 & 9

40.00 Set temp. q. Sec. post  
80.32 Intersected N & S. line at the post  
Land timber &c. Same as on last mile

## T. C. N. R. N. E. D. Mer. Indiana

ch. 1/4

Mist Corrected between Sec. 1, 4 &amp; 9

40.16 Set of Sec. post at average dist. from which  
 an Elm 16 m. dist. by N 15° W 4 1/2 m. dist. of  
 a Sugar 20 " " " N 83° E 29 " "

44.28 a Sugar 20 " "

80.32 to Sec. Corner. Dec. 2<sup>d</sup> 1876

North Between Sec. 31 &amp; 32

39.00 a Brook 10 m. wide E. W.

40.00 at Beech 20 m. dist. of Sec. Cor. from which  
 a Beech 23 m. dist. by N 30° E 32 m. dist. of  
 a B. Gum 16 " " " N 35° W 48 " "

40.54 a Beech 26 " "

76.70 a do. 12 " "

80.00 Set post Cor. to Sec. 29, 30, 31 & 32, from which  
 a Beech 15 m. dist. by N 74° E 8 m. dist. of  
 a do. 12 " " " N 30° W 20 " "

Over high rich land, timber Beech, Poplar,  
 B. & S. Gum, W. & B. Oak &c. under <sup>the</sup> Spruce &c.  
 very thickly.

East On Rand. between Sec. 29 &amp; 32

40.00 by temp. of Sec. post

80.41 intersected the N & S line at the post  
 Over level land, Beech & W. Oak, under <sup>the</sup> Beech

West Corrected between Sec. 29 &amp; 32

1.00 a Beech 20 m. dist.

40.20 Set of Sec. post at average dist. from which  
 a Beech 12 m. dist. by N 58° E 17 1/2 m. dist. of  
 a do. 20 " " " N 41° W 11 " "

80.41 to Sec. Corner

West Between Sec. 30 &amp; 31

10.28 a W. Oak 18 m. dist.

40.00 Set of Sec. post, from which

Post R10E. 2<sup>nd</sup> Mer. Indiana 27  
ch<sup>l</sup>ky

at Beech 15 mi. dist. from S 51 E 24 km. dist. of  
a do. 18 " " " N 83 1/2 W 19 " "  
80.81 intersected W. boundary 79 km. S. of post  
Set post Cor. to Sec. 30 & 31, from which  
at Beech 20 mi. dist. from S 44 W 39 km. dist. of  
a Oak 30 " " " S 24 E 42 " "  
Level land, Beech, 12 & S. Gum, undg<sup>th</sup>, Spruce &c

---

North Between Sec. 29 & 30

6.10 at Beech 17 mi. dist.  
40.00 Set gp. Sec. post, from which  
at Beech 18 mi. dist. from N 31 W 24 km. dist. of  
a S. Gum 20 " " " S 18 W 8 " "  
80.00 Set post Cor. to Sec. 19, 20, 29 & 30, from which  
at Beech 20 mi. dist. from West 13 km. dist. of  
a Sugar 11 " " " S 43 E 27 " "  
Over level land, Beech, Gum, 13 & W. Oak,  
undg<sup>th</sup>, Spruce &c.

---

East On Rand<sup>m</sup>, between Sec. 20 & 29

40.00 Set temp<sup>y</sup>. gp. Sec. post  
80.65 intersected thro' of S. line at the post  
Sand timber &c. Same as on last mile

---

West Corrected between Sec. 20 & 29

40.32 Set gp. Sec. post at average dist. from which  
at Beech 18 mi. dist. from S 51 E 32 km. dist. of  
a do. 20 " " " N 75 W 20 " "  
42.00 at Beech 20 " "  
80.65 to Sec. Corner

---

West Between Sec. 19 & 30

9.33 at Beech 20 mi. dist.  
40.00 Set gp. Sec. post, from which  
at Beech 9 mi. dist. from N 36 W 4 km. dist. of  
a do. 25 " " " S 56 E 38 " "



# St. N. R. N. E. 2<sup>d</sup>. Mer. Indiana ch. lks

64.20 a Creek 75 lks, wide Corner S. W.

81.36 Intersected N. boundary 27 lks. S. of post  
Set post Cor. to Sect. 19 & 30, from which  
a Beech 25 mi. dist. by way N 9 E 20 lks. dist. of  
a do. 30 " " " South 36 " "  
Over high land, Beech, Poplar, Ash, Gum &c.  
underg<sup>th</sup> Spruce &c. Dec. 6<sup>th</sup> 1876

---

## North Between Sect. 19 & 20

0.50 a Sugar 25 mi. dist.

3.80 a Beech 60 " "

40.00 Set q. Sec. post, from which  
a Beech 20 mi. dist. by way N 50 E 33 lks. dist. of  
a do. 20 " " " S 30 W 30 " "

80.00 Set post Cor. to Sect. 17, 18, 19 & 20, from which  
a Beech 20 mi. dist. by way S 83 E 18 lks. dist. of  
a do. 20 " " " S 17 W 5 " "  
Sand hills, Beech, Ash, Gum, Sugar &c.  
underg<sup>th</sup> Spruce & Beech

---

## East On Rand. between Sect. 17 & 20

40.00 Set temp. q. Sec. post

51.00 a Creek 60 lks, wide E. S. W.

80.48 Intersected the S. of S. line at post  
Sand timber &c. Same as on last mile

---

## West Corrected between Sect. 17 & 20

40.24 Set q. Sec. post at average thick from which  
a Ash 30 mi. dist. by way S 63 E 13 lks. dist. of  
a Gum 20 " " " N 85 W 9 " "

79.28 a Poplar 48 " "

80.48 to Sec. Corner

---

## West Between Sect. 18 & 19

0.80 a Beech 11 mi. dist.

29.18 a do. 40 " "

# St. N. N. E. 2<sup>d</sup> Mer. Indiana 29

ch. 1<sup>st</sup> h.

- 40.00 Set of Sec. post, from which  
a Beech 20 mi. dist. bearing S 59 E 5<sup>th</sup>. dist. of  
a do. 20 " " " N 40 W 25 " "
- 81.40 Intersected N. boundary 80<sup>th</sup>. S. of post  
At post Cor. to Sec. 18 & 19 from which  
a Beech 20 mi. dist. bearing S 56 E 23<sup>th</sup>. dist. of  
a S. Gum 16 " " " S 74 W 21 " "  
Level land, Beech, Ash, Gum, Sugar, &c.  
underg<sup>g</sup>. Spruce & Beech very thick
- 

North Between Sec. 17 & 18

- 2.77 a Poplar 20 mi. dist.
- 35.40 a Brook 10<sup>th</sup>. wide Course S. W.
- 40.00 Set of Sec. post, from which  
a Beech 12 mi. dist. bearing S 13 W 16<sup>th</sup>. dist. of  
a do. 25 " " " S 23 E 16 " "
- 44.03 a Beech 12 " "
- 80.00 Set post Cor. to Sec. 7, 8, 17 & 18, from which  
a Beech 20 mi. dist. bearing S 59 W 10<sup>th</sup>. dist. of  
a Hickory 18 " " " S 26 E 21 " "  
Over high land, timber B. & W. Oak, Beech, Ash,  
Sugar, Gum &c. underg<sup>g</sup>. Spruce, birch &c.
- 

East On Rand<sup>m</sup>. between Sec. 8 & 17

- 40.00 Set temp. of Sec. post
- 80.32 Intersected N. & S. line 30<sup>th</sup>. S. of post  
Sand level Beech, Blue Ash, Poplar, Gum  
B. & W. - &c.
- 

West Connected between Sec. 8 & 17

- 39.80 a S. Gum 30 mi. dist.
- 40.16 Set of Sec. post, from which  
a Beech 8 mi. dist. bearing S 75 E 4<sup>th</sup>. dist. of  
a do. 29 " " " S 74 W 13 " "
- 80.32 to Sec. Corner
-

# Sect RWE. 2<sup>nd</sup> Mer. Indiana

ch. 1<sup>st</sup> 1/2

West Between Sect. 7 & 18

11.54 a W. Oak 20 in. dia.

40.00 Set of Sec. post, from which  
a Beech 20 in. dia. (bray) N 64 W 29 1/2 km. dist. of  
an Ash 18 " " " S 56 E 26 " "

81.07 Intersected W. boundary 95 km. S. of post  
Set post Cor. to Sect. 7 & 17, from which  
a Beech 15 in. dia. (bray) N 68 E 15 km. dist. of  
a Do. 20 " " " S 75 W 29 " "  
Over high land, Beech, Poplar, Ash, B. & W. Oak &c.

North Between Sect. 7 & 8

16.64 a Beech 25 in. dia.

35.00 a Brook 10 km. wide Course S. W.

40.00 Set of Sec. post, from which  
a Beech 8 in. dia. (bray) N 78 W 5 km. dist. of  
a Do. 20 " " " S 31 E 27 " "

63.50 a Stream 150 km. wide Cr. W. Rapid Current

80.00 Set post Cor. to Sect. 5, 6, 7 & 8, from which  
a Sugar 18 in. dia. (bray) N 88 E 8 km. dist. of  
a Do. 17 " " " S 70 W 35 " "  
Timber Sugar, Poplar &c. under Spruce

East On Rand. between Sect. 5 & 8

8.00 a Brook 1 1/2 km. wide Cr. S.

39.50 a Creek 150 " " " S. W.

40.00 Set temp. of Sec. post

47.00 Same Stream 1 1/2 km. wide Cr. N 70 W

66.50 Same Stream 150 " " " S. W.

80.27 Intersected N & S line at the post  
Over hilly land, Beech, Sugar &c.

West Connected between Sect. 5 & 8

20.00 a Beech 20 in. dia.

40.14 Set of Sec. post at average dist. from which  
a Hickory 18 in. dia. (bray) S 35 W. 20 km. dist. of

31

Set N10E. 2<sup>d</sup> Mer. Indiana  
Ch. L. L. h. a Beech 20 in. dia. bray East 13 L. h. dist  
80.27 to Sec. Corner

---

West Between Sec. 6 & 7  
5.40 a Poplar 45 in. dia.  
40.00 Set q. Sec. post, from which  
a Beech 26 in. dia. bray S42E 7 L. h. dist of  
a Do. 16 " " " N17W 20 " "  
82.42 Intersected N. boundary 82 L. h. S. of post  
Set post Cor. to Sec. 6 & 7, from which  
a Beech 20 in. dia. bray S61E 7 L. h. dist of  
a Do. 22 " " " N70W 32 " "  
First 1/2 mile broken - last 1/2 mile level Beech,  
Sugar & 20 W. Oak

---

North Between Sec. 5 & 6  
6.27 a Beech 18 in. dia.  
40.00 Set q. Sec. post, from which  
a Maple 14 in. dia. bray S75E 15 L. h. dist of  
a Do. 16 " " " S77W 37 " "  
83.31 Intersected N. boundary 321 L. h. N. of post  
Set post Cor. to Sec. 5 & 6, from which  
a Hickory 20 in. dia. bray N14W 10 L. h. dist of  
a Poplar 17 " " " S18W 18 " "  
Over level land, Beech, Sugar etc. and q. Spruce

---

North Between Sec. 4 & 5  
2.50 a Sugar 29 in. dia.  
22.80 a Stream 20 L. h. wide course S. W.  
29.76 a Sugar 20 in. dia.  
40.00 Set q. Sec. post, from which  
a Beech 20 in. dia. bray S22E 40 L. h. dist. of  
a Dogwood 10 " " " N74W 9 " "  
83.75 Intersected the N. boundary 254 L. h. N. of post  
Set post Cor. to Sec. 4 & 5, from which  
a Beech 20 in. dia. bray N74W 7 L. h. dist. of



Set R10 E. 2<sup>nd</sup> Mer. Indiana  
ch. l. l. l.

a Beech 16 in. dia. bears S 85 E 18 lks. dist. &  
over high Land Beech, Ash, W. B. Oak Sugar  
undergrowth Spruce &c.

North Between Sect. 3 & 4

3.03 a Beech 25 in. dia.

27.50 a Brook 8 lks. wide course N. & W.

40.00 Set of Sec. post, from which

a Lym 20 in. dia. bears S 82 E 25 lks. dist. &

a Poplar 20 " " " N 67 W 27 " "

60.00 a Creek 35 lks. wide course S. W.

84.37 Intersected the N. boundary 227 lks. W. of post.

Set post Cor. to Sect. 3 & 4, from which

a Beech 20 in. dia. bears N 39 E 11 lks. dist. &

a W. 17 " " " S 30 W 29 " "

Land timber &c. Same as last mile

North Between Sect. 2 & 3

3.50 a Angar 20 in. dia.

20.00 a Creek 65 lks. wide course W.

40.00 Set of Sec. post, from which

a Beech 20 in. dia. bears N 78 W 30 lks. dist. &

a W. 18 " " " N 76 E 12 " "

40.15 a Beech 12 " " "

84.60 Intersected N. boundary 84 lks. W. of post

Set post Cor. to Sect. 2 & 3, from which

a Beech 30 in. dia. bears N 34 E 19 lks. dist. &

a W. 15 " " " S 28 E 9 " "

Over high land, timber Beech W. B. Oak &c.

undergrowth Spruce &c.

Surveyed in 1876, by

John Brownson,

Deputy Surveyor

I certify that the foregoing transcript of field notes of  
 Township N<sup>o</sup>. 6 North, Range N<sup>o</sup>. 10 East 2<sup>nd</sup> Mer. Indiana  
 has been compared with the original notes in this office,  
 and found to be correct.

Surveyor General's Office  
 Cincinnati, Oct. 22, 1842

William Johnston  
 Sur. Genl.